## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




FIG 1





FIG. 2



The cell is maintained at 37°C.

FIG. 3

Cumulative BSA Released from Gel **§** 60 -15% ABA (n=3) - 15% AB (n=2) - 15% ABC (n=2) Time (day) 

FIG. 4

Cumulative BSA Released from Gel **§** 60 -15% ABA (n=3) - 15% AB (n=2) - 15% ABC (n=2) Time (day)

FIG. 5

0.8 139.86% 120.16% 0.7 0.6 100% 0.5 0.4 0.3 0.2 0.1 0 medium 1 2 Sample

5

FIG. 6




FIG. 7

FIG. 8